



GENERAL SPECIFICATIONS

• L.O.A*:	13,88 m	45'6"
• Hull length:	12,17 m	39'11"
• Overall width:	4,25 m	13'11"
• Beam:	4,25 m	13'11"
• Light displacement (EC):	10 870 kg	23,957 lbs
• Air draft**:	3,86 m	12'8"
• Air draft***:	7,76 m	25'6"
• Draught:	1,05 m	3'5"
• Fuel tank:	1 400 L	370 US Gal
• Water tank:	640 L	169 US Gal
• Sewage tank:	120 L	32 US Gal
• Engine power:	2 x 300 HP	2 x 300 HP

* (with aft swimming platform + Anchor in position)

** (with mast folded)

*** (with mast in position)

ARCHITECTS / DESIGNERS

- Naval Architect: M. JOUBERT & B. NIVELT - BENETEAU POWER
- Design: P. FRUTSCHI

EC CERTIFICATION

- Category B: 12 people
- Category C: 14 people

STANDARD EQUIPMENT

CONSTRUCTION

HULL

Composition:

- Sandwich (Polyester resin - Glass fiber / Balsa core)
- White gel coat
- Structural hull counter moulding in monolithic laminate (Polyester resin - Glass fiber)

Profile:

- Semi-floating hull

DECK

Composition:

- Sandwich (Polyester resin - Glass fiber / Balsa core)
- Structural counter moulding in monolithic laminate (Polyester resin - Glass fiber)
- White gel coat
- Diamond tip type non-slip covering
- Stainless steel guard sheer rail on hull

AMBIANCE

- Alpi Mahogany interior wood
- Parquet type laminated floors
- efficiency[®] fabric Libra 07 settee interior cushions
- PVC pilot bench
- Exterior upholstery Hitch Avalanche/Seashell PVC

DECK EQUIPMENT

- Teak bulwarks
- Gangway door to starboard

MOORING LINES - MOORING

- Stainless steel bow fitting
- Stainless steel anchor platform
- Bow stainless steel protection
- 1000 W Vertical electrical windlass, upwards/downwards movement and remote control from windlass, wheelhouse and flybridge
- 6 Aluminium mooring cleats (L 400mm / 15 - 3/4")
- Stainless steel gunwale guards
- 2 Stainless steel fairleads to aft of cockpit
- 2 Self-draining compartments with teak-slatted hatch covers

SAFETY ON DECK

- Stainless steel pulpit, open and surrounding cockpit up to steps
- 1 Leather sheathed stainless steel handrail in cockpit deckhead
- 1 Stainless steel handrail at entrance to port side deck

COCKPIT

- Self-bailing cockpit
- Teak gunwales
- 2 Lockers in cockpit bottom gas piston assisted and lockable
- Gas bottle integrated into staircase
- Cockpit shower hot / Cold water
- Cockpit access door
- Bathing platform with natural teak overlay and stainless steel rubbing strake (3,41 x 1,00 m / 11'2" x 3'3")
- Ergonomic bathing ladder with hand holds in the bathing platform
- 1 Access door to starboard side deck from cockpit with grey tinted port

FLY BRIDGE

- Flybridge self-bailing
- Stainless steel staircase and access ramp to flybridge with teak treads
- Grey tinted windscreen in PMMA
- Access via PMMA hatch
- Stainless steel pulpit surrounding aft of flybridge
- White lacquered swing mast, Navigation light mounting, Radar, Aerial
- Central steering console
- Control panel including: Electrical engine controls, Electric windlass control, Thruster and Flaps
- Gauges indicators
- Tiller angle indicator
- Space for navigation electronics
- Steering wheel stainless steel
- Steering compass
- Hydraulic steering
- Fog horn
- 12 V socket
- 1 Adjustable pilot seat
- 1 Adjustable co-driver's seat to port
- Flybridge saloon to port consisting of L-shaped bench seat with integral lockers, removable teak table
- GRP unit with sink, handrail and stowage
- Space for life raft with stainless steel fixing bolt plates

INTERIOR

SALOON

Headroom: 1,98 m / 6'6"

- Sofa convertible to double berth
- Dividing rail and curtains for berth
- Stool
- 2 Folding arm chairs
- Semi-folding, adjustable height, varnished wood saloon table
- Storage cupboards
- Shelving unit
- 3 leaved aft window door with black lacquered aluminium frame
- 1 Leather covered handrail on deckhead

GALLEY

Headroom: 1,98 m / 6'6"

- U-shaped galley with opening window - Includes:
 - Corian[®] Sagebrush countertop with sink cover
 - 2 Stainless steel sinks with cold/hot water mixer taps under pressure
 - Gas oven
 - 3-burner hob and oven with protective glass cover
 - 130 L front opening fridge (12 V)
 - Cutlery drawer
 - Stowage and drawers
 - Bin

STEERING STATION

- Clear glass windscreen with aluminium frames black lacquered
- Anti-reflective coating
- 3 Synchronised windscreen wipers
- Windscreen washer
- Demister
- Side windows with black lacquered frames fitted with thin wood strip blinds
- Instrument panel with wide space for fitting navigation electronics
- Engine dials: Revolution counter, Fuel gauge, Warnings, Tiller angle indicator, Flap indicators
- Control: Electric windlass, Bow thruster, Navigation lights, Electric windscreen wipers and fog horns, Electric dual engine controls
- Steering wheel
- Steering compass
- 12 V socket
- CD / MP3, USB, IPOD player with USB, IPOD® speakers in wheelhouse and 2 speakers in cockpit - Remote control
- Two-seater pilot and copilot bench
- Removable floor step
- Sliding side door with direct access to catwalk
- 1 Leather covered handrail on deckhead

OWNER'S CABIN (FORWARD)

Headroom: 1,92 m / 6'4"

- Double berth (2,06 x 1,60 m / 6'9" x 5'3")
- Marine mattress
- Storage under berth
- Stowage on both sides of berth
- Mirror
- 2 Hanging cupboards with lighting
- 1 Opening deck hatch with fitted mosquito screen/blind
- 2 Opening hull portholes with blackout curtains

HEAD (STARBOARD - FORWARD)

Headroom: 1,98 m / 6'6"

- Mirror with back lighting
- Cupboard
- Open stowage locker
- 1 Opening deck hatch with fitted mosquito screen/blind
- Inset resin basin

Separate shower compartment with fold-down seat over WC

- Quiet flush electric toilet
- Stowage

GUEST CABINS (PORT SIDE)

Headroom: 1,98 m / 6'6"

- Double berth (1,96 x 1,45 m / 6'5" x 4'9")
- Marine mattress
- 4 Drawers
- Cupboards
- Storage under berth
- 2 Opening hull portholes with blackout curtains

HEAD (STARBOARD - AFT)

Headroom: 1,98 m / 6'6"

- Mirror with back lighting
- Cupboard
- 2 opening portholes
- Quiet flush electric toilet
- Inset resin basin
- Mixer tap
- Shower

ENGINE

- Shaft line propulsion
- Four-blade propellers
- Dual engine Volvo D4 300 HP / HP (2 x 221 Kw)
- Fuel filters with sediment reservoir
- Sea water filters
- Engine room soundproofed with high density foam 40mm thick
- Air intakes for engine space cooling on the hull sides
- 2 Extinguishers
- Fuel tank deck filler
- 2 Aluminium fuel tanks (Capacity = 2 x 700 L / 2 x 185 US Gal) inter-connected and pre-fitted for FPS (Fuel Polishing System) connection system
- Steering system:
- 2 Bronze underhung rudders
- Hydraulic steering
- Electric trim tabs
- Bow thruster Quick
- Softs Volvo:
- Trip computer
- Cruise control
- Single lever

ELECTRICITY

- Electrical panel 12 V / 220 V
- 220 V shore power
- 7 220 V Sockets (2 in lounge, 2 in the galley, 1 in owner's cabin, 1 in guest cabin, 1 in forward head), + 2 for TV, optional extra (Saloon + Owner's cabin)
- 2 double antenna sockets (TNT - SAT)
- 2 12V 140Ah service batteries
- 4 12V 50Ah engine start batteries
- 2 12V 50Ah bow thruster batteries
- 2 Battery chargers 25 Ah
- 2 12 V Sockets
- Outside and inside lighting LED (Overhead lights, Reading lights)
- Outside lighting (Navigation lights, Mooring light with stainless steel mountings)

PLUMBING

- 1 Manual bilge pump (Cockpit)
- 2 Electric bilge pumps 1 of which automatic
- Water pump for pressurising hot/cold water system
- 42 L / 11 US Gal water heater working off engine exchanger and 220 V
- Water tank filler
- 2 Roto moulded water tanks (2 x 320 L / 2 x 85 US Gal)
- Drainage outlet for black water holding tank
- Sewage tank 120 L / 32 US Gal

TRIM LEVEL & PACKS

TRIM LEVEL

	ESSENTIAL	GULF STREAM EDITION
<ul style="list-style-type: none"> • Electric load boom • Additional 37 L refrigerator in the galley • Waterproof loudspeakers on flying bridge • RAYMARINE® Multifunction screens: Exterior Axiom 9" with remote control + Axiom pro 12" in wheelhouse • AIS receiver system • VHF • Auto pilot 	<ul style="list-style-type: none"> ■ ■ ■ ■ ■ ■ ■ 	<ul style="list-style-type: none"> ■ ■ ■ ■ ■ ■ ■
<ul style="list-style-type: none"> • L-shaped cockpit bench seat • Flybridge cover (pilot console + starboard bench seat + port bench seat with table) • Large model teak flybridge table • Forward sun mattress • Shore freshwater supply • Refrigerated ice box on flying bridge (40 L) • Lathed bed base in forward cabin • 12-230 V, 2 kVA inverter • Slatted bottom of cockpit and starboard side deck 		<ul style="list-style-type: none"> ■ ■ ■ ■ ■ ■ ■ ■ ■

PACKS

AIR CONDITIONING PACK

- Generator
- Compressed air

OPTIONS

INTERIOR EQUIPMENT

- Mosquito screens - Sliding wheelhouse side door + Aft window door
- Mosquito screens on round portholes
- Washing machine predisposal
- Washing machine
- Microwave oven and grill, which can be built in 220 V (as replacement for gas oven)
- Fly grill 220 V, 60 Hz
- Ceramic hob 2 burners (replacing gas stove)
- 220 V Dishwasher - 6 people
- Forced air heating fuel
- 220v air conditioning, 32 000 BTU (16 000 BTU Saloon, 8 000 BTU Forward cabin, 8 000 BTU mid Cabin)
- 220v air conditioning, 40 000 BTU (24 000 BTU Saloon, 8 000 BTU Forward cabin, 8 000 BTU mid Cabin)
- Pre-ordered 220 V air-conditioning
- TV LED 22" + Player DVD Fusion® + MP3 Saloon
- TV LED 22" + Player DVD + MP3 Owner's cabin
- Adjustable driver's seat
- Yachtcase Elle Deco® table setting
- 12-220 V, 2 kVA inverter

TECHNICAL EQUIPMENT

- Quantum Radar
- Rear camera
- Thermal imaging camera
- Windvane anemometer
- Stern thruster
- Pump for deck washing
- Deck searchlight
- 9,5 kVA Generator 220 V / 50 Hz + COCOON
- Water maker 60 l/h / 16 US Gal/hour

EXTERIOR EQUIPMENT

- Complete mooring kit (Anchor CGR 20 kg, Chain 10 mm diameter (Length 75 m), Cable 18 mm diameter (Length 4 m), 4 Hawsers 16mm (Length 12 m) - 6 Fenders (230 mm diameter - Length 0,86 m))
- Black exterior curtains Sunworker (Wheelhouse)
- Flybridge covers (Deck forward, Bench seat, console) - White
- Hydraulic gangway (L = 2,30 m / 7'7")
- Exterior guards: Oyster or Flanelle
 - Aft cockpit closing
 - Flybridge bimini + Dodger
- Cockpit + Teak-slatted starboard sidedeck
- Deck forward + Teak-slatted port sidedeck
- Teak-slatted flybridge helm station
- Big foldable table on fly
- Raymarine Multifunction screen: Axiom 9" (Exterior)
- Grey "Perle" hull
- Steel blue hull

AMBIANCE

- Walnut version
- Rovere type laminated floorboards
- African Spirit Grey carpet (Wheelhouse + Saloon)
- African Spirit Grey carpet (Cabins)
- ZIP Trendy Grey upholstery (Saloon)
- Lounge Robust upholstery (Saloon)
- Libra 45 Efficiency® upholstery (Saloon)
- PVC Nuance White upholstery (Saloon)
- Leather upholstery (Saloon, includes pilot bench seat)
- Ultraleather Promessa upholstery (Saloon, includes pilot bench seat)
- Exterior upholstery Hitch Avalanche/Java PVC
- Exterior upholstery Hitch Avalanche/Indigo PVC



Some rough indicative surfaces:

Saloon + Galley + Wheelhouse: 9,25 m² / 99,5 sq ft
 Owner's cabin: 7,30 m² / 78,5 sq ft



