



Asia version



Asia version

## GENERAL SPECIFICATIONS

|                             |                           |                |
|-----------------------------|---------------------------|----------------|
| • L.O.A*:                   | 18,35m                    | 60'2"          |
| • Hull length:              | 15,97m                    | 52'5"          |
| • Overall width:            | 4,93m                     | 16'2"          |
| • Beam:                     | 4,88m                     | 16'            |
| • Light displacement (EC):  | 19 840kg                  | 43,727 lbs     |
| • Air draft:                |                           |                |
| - without T-Top:            | 6,40m                     | 21'            |
| - with T-Top:               | 7,43m                     | 24'5"          |
| • Draught (max):            | 1,17m                     | 3'10"          |
| • Fuel capacity:            | 2 x 1 100L                | 2 x 290 US Gal |
| • Freshwater capacity:      | 2 x 400L                  | 2 x 105 US Gal |
| • Maximum engine power:     | 2 x 442Kw -<br>2 x 600 HP | 2 x 600 HP     |
| • Max engine certification: | 2 x 442Kw -<br>2 x 600 HP | 2 x 600 HP     |

\* (with aft swimming platform)

## ARCHITECTS / DESIGNERS

- Design: Nuvolari & Lenard
- Interior accommodation: Andreani Design

## EC CERTIFICATION

- Category B - 14 people
- Category C - 16 people
- Category D - 16 people

## STANDARD EQUIPMENT

### CONSTRUCTION

---

#### HULL

Composition:

- Hull and hull mold in infusion
- Ivory white gelcoat
- Sandwich (Polyester resin - Glass fiber - Balsa core)
- Structural hull counter moulding in monolithic laminate (Polyester resin - Glass fiber)
- 13 portholes including 12 opening portholes

#### DECK

Composition:

- Deck and deck mold in infusion
- Ivory white gelcoat
- Sandwich (Polyester resin - Glass fiber - Balsa core)
- Diamond tip type non-slip covering
- Structural deck counter moulded in monolithic laminate

### DECK EQUIPMENT

---

- Radar support in stainless steel
- Navigation lights
- LED courtesy lights in gangways, Steps and Stern deck

#### MOORING LINES - MOORING

- Bow fitting
- Electric windlass 24V, Power 2 000 W
- Remote control in mooring locker + windlass control from wheelhouse and flying bridge steering stations
- 2 Mooring lockers
- 2 Forward cleats, 2 central and 4 aft in stainless steel
- 6 Stainless steel fairleads to aft of cockpit

#### SAFETY ON DECK

- Stainless steel Half open pulpit with teak step and hand rail
- Stainless steel pulpit surrounding all flybridge
- 2 Stainless steel handrails on access to side decks steps
- 1 Hand rail on aft transom

#### DECK

- 4 cup holders
- 1 Opening deck hatch, 1 Fixed hatch
- Storage locker
- Pump for deck washing

#### COCKPIT

- Gate access (Starboard)
- 6 persons saloon
- Uphostery PVC Diamante Snow, piping Diamante Espresso, Open cell foam
- Access hatch to engine compartment
- Liferaft compartment or storage under cockpit floor
- Access door for large storage room (standard) or crew cabin (option)
- Cockpit shower, with Hot/cold water mixer tap
- Access stairway to flybridge
- Teak slatted swim platform
- Retractable ladder in swimming platform with solid wood steps and stainless steel handrails
- Direct and indirect lighting LED
- Teak floor
- Trunk for shoes and fenders

### FLYBRIDGE

- Grey tinted windscreen, surrounded by stainless steel frame
- Steering console with: Steering compass - Steering wheel - Electrical engine controls - Rev counter - Fuel gauge - Joystick
- Controls for windlass, flaps, lighting, navigation lights, Bilge pumps
- Adjustable pilot seat
- 2 Cupholders & stowage
- Two seater copilot bench to port
- Saloon, 8 people
- Natural Solid wood folding table
- Aft sunbath (3 people)
- Galley unit: Sink hot/cold, Place for electric grill (option), Glasses storage, Corian "Sand" countertop, Bin
- Radar support, Aerials and lights in Black lacquered polyester
- Courtesy lighting (LED)
- Exterior upholstery PVC Diamante Snow, piping Diamante Espresso, Open cell foam

### INTERIOR

---

- Choice of woodwork: Alpi brushed Oak or Alpi Matt finish walnut
- Interior decor matching the choice of woodwork
- Slatted teak floor in galley (standard)
- Ivory carpet in saloon and cabins
- Teak head floors or Corian color "Bone"

### WHEELHOUSE

Headroom: 1,95m / 6'5"

- Mirror tinted glass Bay window and black painted frame with full opening (1 opening and 2 folding). Curtain "Cream"
- "Venitian" blinds in lacquered wood "Cream"
- Direct and indirect lighting LED
- Port electric switchboard in companionway (24V/220V)

### STEERING STATION

- One-piece windscreen, in non-tinted laminated glass
- 1 Central windscreen wiper with washer
- Demisting system
- Opening porthole (Starboard)
- Pilot bench and double co-pilot bench, or "Seagull Besenconi" Pilot seat with integrated engine controls
- Storage drawer
- Dashboard with "Sand" metallic paint
- Vessel view 4" (engine data)
- Flaps control
- CUMMINS throttle & controls
- Joystick "ZEUS"
- Steering compass
- Functional controls: Wiper, Demister, Fog horn, Navigation lights, Windlass
- Valet tray
- Space for 2 multifunction 17" screens or 1 x 22" (option)
- 1 12 V Socket

### SALOON

- Mirror tinted side windows, 2 openings (Port and starboard)
- 6 seater sofa upholstered in "Mimic" fabric
- 2 places facing sofa, upholstery "Mimic" fabric
- Electrically height-adjustable table with "Brown" or "Bordeaux" faux leather top
- Location for 40" LED television, Audio & DVD player and Bose speakers (Options)
- 1 220 V Socket

## GALLEY

Galley-type layout

- Stainless steel sink with mixer tap
- 3 burner induction hob
- Corian countertop
- 2 Drawer fridges 75L / 20 US Gal (standard)
- Cutlery storage
- 5 Storage cupboards
- 1 Storage drawer
- Bin
- Lacquer finished furniture
- Extractor hood
- Grill oven microwave
- 2 220 V Sockets
- Mid-height storage

## OWNER CABIN (AFT)

Headroom: 1,92m - 2,03m / 6'4" - 6'8"

- Full beam stateroom
- Double berth (1,95m x 1,58m / 6'5" x 5'2")
- Marine mattress with bed base
- Padded headboard
- 2 Bedside tables with drawer and reading light
- 2 Illuminated wardrobes with double closets and shelves
- Direct and indirect lighting LED
- 2 220 V Sockets
- 2 Panoramic opening porthole-fitted windows with blinds, "Cream" Blackout curtain
- Space for 32" LED TV (option)
- 2 Illuminated wardrobes with hanging locker and shelving
- 4 Storage drawer (Port)
- Mirror
- 1 USB charging socket

## OWNER HEAD COMPARTMENT

Headroom: 1,95m - 2,05m / 6'5" - 6'9"

- Vacuflush electric toilet + Shared rigid tank (208L / 55 US Gal)
- Italian shower with rain shower column
- Basin with mixer tap, Sink in Corian "Bone"
- Mirror and storage space
- Automatic shower water drainage (by gravity, towards a reserve plug 50L / 13 US Gal)
- 1 220 V Socket
- Opening hull porthole with "Cream" blackout blinds
- 1 Towel rail

## VIP CABIN (FORWARD)

Headroom: 2,02m / 6'8"

- Double berth (1,98m x 1,40m / 6'6" x 4'7") or two simple beds (sliding system)
- Marine mattress with bed base
- Padded headboard
- 4 Opening hull portholes, with blinds, "Cream" Blackout curtain
- Long natural light wells, with opening deck hatch, fitted blinds and mosquito screen
- 2 Illuminated wardrobes with hanging locker and shelving
- Storage
- 2 220 V Sockets
- Direct and indirect lighting LED
- 1 USB charging socket

## VIP HEAD COMPARTMENT

Headroom: 1,95m - 2,05m / 6'5" - 6'9"

- Vacuflush electric toilet + Shared rigid tank (208L / 40 US Gal)
- Separated shower stall with door
- Basin with mixer tap, Sink in Corian "Bone"
- Shower with mixer tap
- Mirror and storage space
- Automatic shower water drainage (by gravity, towards a reserve plug 50L / 13 US Gal)
- Opening hull porthole
- 1 Towel rail
- 1 220 V Socket

## GUEST CABIN (SIDE)

Headroom: 1,87m - 2,02m / 6'2" - 6'8"

- 2 Sliding beds, double bed available: 1,91m x 0,74m / 6'3" x 2'5" (Single bed) or 1,91m x 1,48m / 6'3" x 4'10" (Double bed)
- Marine mattresses
- Padded headboards
- 2 Opening hull portholes, with blinds, Cream Blackout curtain
- Bedside tables with drawer and reading light
- 1 220 V Socket
- Hanging locker with lighting
- 1 USB charging socket

## GUESTS HEAD

Headroom: 1,94m - 2,05m / 6'5" - 6'9"

- Electric day toilet Vacuflush + Shared rigid tank
- Separated shower stall with door
- Basin with mixer tap, Sink in Corian "Bone"
- Shower with mixer tap
- Mirror and storage space
- Automatic shower water drainage
- Opening hull porthole
- 1 Towel rail
- 1 220 V Socket

## ENGINE

---

### Pods propulsion:

- Cummins QSC 8.3 Zeus 2 x 442Kw (2 x 600 HP)
- Fuel filter with decanter
- Seawater filter
- Air intakes on the deck for engine compartment cooling
- Hot air extraction forced by electric ventilators
- Engine room foam soundproofed
- Fire extinguishing system activated from the steering station (Wheelhouse)
- Stainless steel fuel filler
- 2 fuel tanks, each with a 1 100 L (290 US Gal) capacity

### Steering system:

- Hydraulic steering
- 2 Drives with counter rotative propellers
- Control joystick (Wheelhouse & Flybridge)
- CUMMINS "Skyhook" virtual anchoring
- Automatic trim tabs

## ELECTRICITY

---

- 24 V 220 V Electrical panel
- 8 12 V batteries (4 Engine batteries: 50 Ah + 4 Service batteries: 140 Ah)
- Radio-controlled wireless switches (without battery)
- 2 230 V - 50 Hz 63A shore supply with 15 m cable (or 2 220V - 60Hz, according to country)
- 3 Bilge pumps: 2 Electric pumps - 1 Manual pump
- 1 Extinguisher
- Inverter: 24V / 12V
- Power distributor
- Battery charger: 24V - 60 Ah
- 220V Sockets: in saloon, Galley, Heads and Cabin
- 12V socket on Steering stations (Wheelhouse and Flybridge)
- Direct and indirect lighting LED (internal and external)

## PLUMBING

---

- 2 Roto moulded water tanks, 2 x 400 L / 2 x 105 US Gal capacity of
- Stainless steel water filler
- Shore fresh water supply
- Water pump for pressurising hot/cold water system
- 80 L / 21 US Gal water heater working off engine exchanger and 220V

## TRIM LEVEL

|   | ESSENTIAL  | CONFORT  | LOUNGE   |
|---|--|--|--|
| <ul style="list-style-type: none"> <li>• Foredeck and catwalks in teak</li> <li>• 2 LED lights integrated to the foredeck</li> <li>• Electric long chairs on foredeck</li> <li>• TV + DVD pre-wiring (40"), in the saloon</li> <li>• Bose Lifestyle 535 5.1 Hi-fi system + Blu Ray player + Apple TV</li> <li>• Indoor faux leather accents on countertops</li> <li>• 11 KVA 220 V / 50 Hz Generator</li> <li>• 12V / 220V inverter - 700 VA</li> </ul> | <ul style="list-style-type: none"> <li>▪</li> <li>▪</li> <li>▪</li> <li>▪</li> <li>▪</li> <li>▪</li> <li>▪</li> <li>▪</li> </ul> | <ul style="list-style-type: none"> <li>▪</li> <li>▪</li> <li>▪</li> <li>▪</li> <li>▪</li> <li>▪</li> <li>▪</li> <li>▪</li> </ul> | <ul style="list-style-type: none"> <li>▪</li> <li>▪</li> <li>▪</li> <li>▪</li> <li>▪</li> <li>▪</li> <li>▪</li> <li>▪</li> </ul> |
| <ul style="list-style-type: none"> <li>• Solid wood cockpit table + Cover</li> <li>• 2 Multifunction GARMIN 16" displays in wheelhouse + 2 Multifunction 12" displays on flybridge</li> <li>• Dual-station GARMIN VHF</li> <li>• AIS (Transmitter / receiver) Coupled with the VHF</li> <li>• GARMIN FANTOM18 Radar</li> <li>• Rear camera</li> </ul>   |  | <ul style="list-style-type: none"> <li>▪</li> <li>▪</li> <li>▪</li> <li>▪</li> <li>▪</li> <li>▪</li> </ul>                       | <ul style="list-style-type: none"> <li>▪</li> <li>▪</li> <li>▪</li> <li>▪</li> <li>▪</li> <li>▪</li> </ul>                       |
| <ul style="list-style-type: none"> <li>• Hydraulic swim platform (max load 350Kg)</li> <li>• Dinghy cradle integrated to the platform</li> <li>• Bow thruster station dual</li> <li>• Yacht Case - Tableware</li> </ul>   |  |  | <ul style="list-style-type: none"> <li>▪</li> <li>▪</li> <li>▪</li> <li>▪</li> </ul>   |

## OPTIONS

### OPTIONAL LAYOUT VERSIONS

#### CREW CABIN (accessible from the swim platform)

Headroom: 1,63m / 5'4"

- Single bed (1,97m x 0,75m / 6'6" x 2'6")
- Shower
- VacuFlush Toilet
- Basin with hot and cold water mixer tap under pressure
- 1 Fixed porthole + 1 Opening porthole
- Storage for fenders

#### ASIA VERSION

- 1 Owner cabin (aft)
- 1 Owner head compartment (aft)
- 1 Low galley (starboard)
- 1 Low saloon (forward)
- 1 Guests head (port)
- 1 Saloon for 12 persons in the wheelhouse
- Bar area adjoining the saloon
- Woodwork Alpi matt walnut

## OTHER OPTIONS

### INTERIOR / ONBOARD COMFORT

- Chilled water Mediterranean air conditioning 66 kBTU (18 kBTU in the saloon, 18 kBTU at the pilot station, 12 kBTU in owner cabin and head, 9 kBTU in VIP cabin and head, 9 kBTU in guest cabin and head) - Distribution by ceilings
- Chilled water Tropical air conditioning 84 kBTU (24 kBTU in the saloon, 18 kBTU at the pilot station, 18 kBTU in owner cabin and head, 12 kBTU in VIP cabin and head, 12 kBTU in guest cabin and head) - Distribution by ceilings
- Air conditioning 4 kBTU in the crew cabin
- 12 kW heating, water system
- 2 kW heating, in the crew cabin
- 1 GARMIN 22" Multifunction screen (to replace GARMIN 17" in wheelhouse)
- TV 32" in master cabin + Fusion DVD player + MP3 Audio + Bose 2.1 Hi-fi system
- Besenzoni Seagull Pilot seat with integrated engine controls
- Fabric upholstery in the saloon: Lounge premier Gull
- Fabric upholstery in the saloon: Divine White
- Fabric upholstery in the saloon: Vibrant Beige
- Leather upholstery in the saloon
- Leather upholstery in the saloon: Nubuck
- Sirius Taupe carpet (Saloon & Cabins)
- Carpet Berber Dune (Saloon & Cabins)
- Wine cellar 23 bottles 220V
- Dishwasher for 9 sets
- Washer + Dryer
- Central vacuum system
- Teak floors in saloon and companion way
- Decor Extra Luxe option (Gallery worktop in Corian marble effect, Basin top + Washbasin + Corian marble effect shower for owner and VIP cabins, Designer's decor staircase parapet, Teak floor in master cabin)
- Venitian blinds Electric (in wheelhouse)
- Mosquito screens on portholes (Cabins and Aft window door)
- Set of interior and exterior pillows for decoration
- Safe
- Yacht Case Elle Deco for Monte Carlo, "Art de la table"

### EXTERIOR

- Mooring kit: Stainless steel anchor Delta 32 kg + Chain (12mm diameter, Length: 85m) + Line (22mm diameter, Length: 50m) + 4 Moorings lines (18mm, Length: 15m) + 6 Fenders (290mm diameter, Length: 1,09m)
- Seakeeper gyroscopic stabiliser
- Watermaker 95 l/h 220V - 24V
- Generator 17,5 KVA / 220V / 50Hz
- Additional Joystick in the cockpit (Zeus)
- 2 Underwater lights
- Deck searchlight with remote control
- Switchable diesel filter
- Exterior upholstery fabric Mull Stone
- Ivory & Taupe Luxe outside upholstery, Included Pilot seat Besenzoni on flybridge
- Exterior "Pure Corail" carpet (Flybridge)
- Galley unit on transom: Electric grill "Kenyon", Sink hot/cold, Work top, Lighting
- Integrated hydraulic gangway
- Retractable electric sun awning
- Aft cockpit closing Graphite
- Protective covers, outside upholsteries: Cockpit, forward, Flybridge
- Outside wheelhouse curtains ("Sunworker" Black)
- Electric furler (Extension) - Shore power socket
- Gangway door
- Sunshade ("Sunworker" Black) Deck forward
- Capstan electrical
- Loud speakers "Fusion" + Remote control On Deck forward
- Engine compartment camera
- T-Top in ivory white polyester (Flybridge)
- Ice maker (Flybridge)
- 40 L refrigerator (Flybridge)
- Electric grill "Kenyon" (Flybridge)
- Teak floor (Flybridge)
- Foldable flybridge bimini Graphite with integrated LED lights and hydraulic system
- WILLIAMS 325 Turbojet tender special edition for MC
- Blue grey and ivory white hull
- Metallic hull paint